

MIYOTA
YOUR ENGINE 2006

CITIZEN WATCH CO., LTD.

**WATCH BUSINESS HEADQUARTERS
PRODUCTS MARKETING DIVISION**

Address: 6-1-12, TANASHI-CHO, TOKYO 188-8511, JAPAN
Phone: +81-424-67-6218
Fax: +81-424-67-1549
Home Page: http://www.citizen.co.jp/miyota_mv/
E-mail: miyota_mv@citizen.co.jp

**MADE IN JAPAN METAL MOVEMENT
CITIZEN WATCH CO., LTD.**



2 Hands



3 Hands



3 Hands Date



3 Hands Day/Date



3 Hands/Date
Enlarged Calendar



3 Hands/
Date Wide Weekday

SUPER 2035

6³/₄x8¹/_{8"}



Super 2035 GILT

height 3.15mm
4 year battery life (SR626SW) Mercury Free

Feature of Super 2035

- 4 Year Battery Life
- Conformity with RoHS Standard
- Fine Gold Colour
- High accuracy of ±15 sec./month
- Covered Coil
- Mercury Free Battery
- Hour Wheel & Dial Washer are Pre-Assembled

BASIC

6³/₄x8¹/₈"



2025

height 3.15mm
3 year battery life (SR626SW)



2035

height 3.15mm
3 year battery life (SR626SW)



2015



height 4.15mm
3 year battery life (SR626SW)



2005

height 4.15mm
3 year battery life (SR626SW)

10¹/₂"



2115


height 4.15mm
3 year battery life (SR626SW)



2105

height 4.15mm
3 year battery life (SR626SW)

11¹/₂"



2315

height 4.15mm
3 year battery life (SR626SW)



2305

height 4.15mm
3 year battery life (SR626SW)



2353

height 4.15mm
3 year battery life (SR626SW)



2350

height 4.15mm
3 year battery life (SR626SW)

13¹/₂"



6M55

height 3.85mm
large day/date disc
3 year battery life (SR6215W)



2 Hands



3 Hands



2 Hands Date



3 Hands Date



3 Hands Day/Date

SERIES G NEW SLIM

6³/₄x8¹/₁₆"



GL20 GILT
height 2.28mm
3 year battery life (SR6215W)



GL30 GILT
height 2.28mm
3 year battery life (SR6215W)



GL15 GILT
height 2.71mm
3 year battery life (SR6215W)



GL10 GILT
height 2.71mm
3 year battery life (SR6215W)



GL00 GILT
height 2.94mm
3 year battery life (SR6215W)

8³/₄"

Feature of Series G New Slim

- Assembled Hour Wheel
- Non Breakable Date Construction (GL10/GL15/GM10/GM15/GN10/GN15)
- Dust Proof
- Covered Coil
- Super Quick Date Adjusting
- Easy Assembling on Flat Desk



GN15 GILT
height 2.71mm
3 year battery life (SR6215W)



GN10 GILT
height 2.71mm
3 year battery life (SR6215W)



GM15 GILT
height 2.71mm
3 year battery life (SR6215W)



GM10 GILT
height 2.71mm
3 year battery life (SR6215W)



GM00 GILT
height 2.94mm
3 year battery life (SR6215W)

10¹/₂"

SUPER SLIM

6³/₄x8¹/₁₆"



9T22 GILT
height 1.90mm
2 year battery life (SR6165W)



9T33 GILT
height 1.90mm
2 year battery life (SR6165W)
battery detector function



9T15 GILT
height 2.33mm
2 year battery life (SR6165W)



9T13 GILT
height 2.33mm
2 year battery life (SR6165W)
battery detector function

10¹/₂"



9U15 GILT
height 2.33mm
4 year battery life (SRV165W)



9U13 GILT
height 2.33mm
4 year battery life (SRV165W)
battery detector function



2 Hands



3 Hands



2 Hands Date



3 Hands Date



3 Hands Day/Date



2 Hands/
Small Second

SLIM STANDARD

6³/₄x8¹/₁₆"



1L22 GILT
height 2.15mm
5 year battery life (SR6165W)



1L32 GILT
height 2.28mm
3 year battery life (SR6215W)



1L15 GILT
height 2.71mm
3 year battery life (SR6215W)



1L12 GILT
height 2.71mm
3 year battery life (SR6215W)



1L02 GILT
height 2.94mm
3 year battery life (SR6215W)



1L40 GILT
height 2.93mm
small second for LADIES
3 year battery life (SR6215W)

8³/₄"



1N12 GILT
height 2.58mm
2 year battery life (SR6165W)



1L45 GILT
height 2.93mm
small second for GENTS
3 year battery life (SR6215W)

10¹/₂"



1M15 GILT
height 2.71mm
3 year battery life (SR6215W)



1M12 GILT
height 2.71mm
3 year battery life (SR6215W)



1M02 GILT
height 2.94mm
3 year battery life (SR6215W)

11¹/₂"



1S13 GILT
height 2.71mm
2 year battery life (SR6215W)



1S02 GILT
height 3.07mm
3 year battery life (SR6215W)

PREMIUM SLIM

9³/₄"



OR21 GILT
height 1.66mm
3.5 year battery life (SR9165W)



10¹/₂"



OR15 GILT
height 1.90mm
3.5 year battery life (SR9165W)

Size	6 ³ / ₄ x8 ¹ / ₁₆ "	6 ³ / ₄ x8 ¹ / ₁₆ "	6 ³ / ₄ x8 ¹ / ₁₆ "	6 ³ / ₄ x8 ¹ / ₁₆ "	6 ³ / ₄ x8 ¹ / ₁₆ "	8 ³ / ₄ "	8 ³ / ₄ "	10 ¹ / ₂ "	10 ¹ / ₂ "	10 ¹ / ₂ "
Cal. Nr.	GL20	GL30	GL15	GL10	GL00	GN15	GN10	GM15	GM10	GM00
Cal. Nr.	(1L22)	1L32	1L15	1L12	1L02		(1N12)	1M15	1M12	1M02
Thickness	2.28mm (2.15mm)	2.28mm	2.71mm	2.71mm	2.94mm	2.71mm	2.71mm (2.58mm)	2.71mm	2.71mm	2.94mm
Hands	2 hands	3 hands	2 hands	3 hands	3 hands	2 hands	3 hands	2 hands	3 hands	3 hands
Day/Date	—	—	date	date	day-date	date	date	date	date	day-date
Battery Life	3 years (5 years)	3 years	3 years	3 years	3 years	3 years	3 years	3 years	3 years	3 years
Battery	SR6215W	SR6215W	SR6215W	SR6215W	SR6215W	SR6215W	SR6215W (SR6165W)	SR6215W	SR6215W	SR6215W

4'''

2 Hands  **3 Hands** 

4S20 GILT
height 2.95mm
2 year battery life (SR621SW)
size: $\phi 9.9 \times 9.4$ mm

3 3/4'''

5R21 GILT
height 1.90mm
4 year battery life (SR615SW)
size: 9.0 x 13.2 x 13.5mm



5R32 GILT
height 2.00mm
2 year battery life (SR615SW)
size: 9.0 x 13.2 x 13.5mm

5/8 x 6 3/4'''

5Y20
height 2.54mm
3 year battery life (SR621SW)

5Y30
height 2.54mm
2 year battery life (SR621SW)

6 3/4 x 8'''

12H Big Date  **3H Big Date** 

1L50
height 2.94mm
3 year battery life (SR621SW)
big date disc





10 1/2'''

1M52
height 3.07mm
3 year battery life (SR621SW)
big date of 12H

1M50
height 2.94mm
3 year battery life (SR621SW)
big date disc

MECHANICAL [Automatic]

8 3/4'''

3 Hands Date  **3 Hands Date**  **3 Hands Day/Date**  **Skeleton Model** 

6T51
height 5.98mm
21 jewels/automatic winding
quick date setting/easy day setting
bilingual weekday

8N24 GILT
height 5.57mm
21 jewels / automatic winding

11 1/2'''














8215
height 5.67mm
21 jewels/automatic winding
quick date setting


821A
height 5.67mm
21 jewels/automatic winding
quick date setting

8205
height 5.67mm
21 jewels/automatic winding
quick day/date setting
bilingual weekday

8N24
height 5.57mm
21 jewels / automatic winding

10 1/2'''

Basic 3 Eyes	3 & 4 Eyes	1 & 2 Eyes	2 & 3 Eyes With Moon Phase	Special Eyes
				
6P05 height 3.45mm 3 eyes (Day/Date/Month) 3 year battery life (SR621SW)	6P09 height 3.45mm 4 eyes (Month/Day/Date/24 hour) 3 year battery life (SR621SW)	6P23 height 3.45mm 2 eyes (Date/24 hour) 3 year battery life (SR621SW)	6P00 height 3.45mm 3 eyes (Day/Date/Month/moon phase) 3 year battery life (SR621SW)	6P21 height 3.45mm 2 eyes (Day/Date/moon phase) 3 year battery life (SR621SW)
				
6P27 height 3.45mm 3 eyes (Day/Date/24 hour) 3 year battery life (SR621SW)	6P89 height 3.85mm/month disc 3 eyes (Day/Date/24 hour) 3 year battery life (SR621SW)	6P25 height 3.45mm 2 eyes (Day/Date) 3 year battery life (SR621SW)	6P20 height 3.45mm 2 eyes (Day/Date/moon phase) 3 year battery life (SR621SW)	6P24 height 3.45mm moon phase 3 year battery life (SR621SW)
				
6P29 height 3.45mm 3 eyes (Day/Date/24 hour) 3 year battery life (SR621SW)	6P26 height 3.45mm 1 eye (Date) 3 year battery life (SR621SW)	6P80 height 3.85mm/date pointer 2 eyes (Day/Month/moon phase) 3 year battery life (SR621SW)		




LUXURIOUS FUNCTION

12mm

Retrograde Dual Time Big Date at 12H	Retrograde Dual Time Big Date at 3H	New Retrograde Dual Time Big Date at 3H 24Hour	Small Sec Big Date at 12H	Small Sec Big Date at 3H
GP00 height: 4.43mm 3 year battery life (SR920SW)	GP01 height: 4.43mm 3 year battery life (SR920SW)	GP03 height: 4.43mm 3 year battery life (SR920SW)	GP10 height: 4.43mm 3 year battery life (SR920SW)	GP11 height: 4.43mm 3 year battery life (SR920SW)
Big Date	Double Retrograde Dual Time Date	Double Retrograde Dual Time Date 24 Hour		
		New		
GP30 height: 4.43mm 3 year battery life (SR920SW)	GP50 height: 3.58mm 3 year battery life (SR920SW)	GP52 height: 3.83mm 3 year battery life (SR920SW)	Cal. GP00	

COMBINATION

		New		
3 Hands/ 6 Digits Alarm-Chrono	3 Hands/ 6 Digits Alarm-Chrono	3 Hands/ 12 Digits Alarm-Chrono	3 Hands/ 12 Digits Count Down	3 Hands/ 9 Digits World Time
T200/T205 height: 3.35mm month/day/date/12h/24h alarm/chrono/stop (T200) T200: 3 year/T205: 3.5 year (SR927W) size: 26.4 x 27.8 x 25.0mm	T201/T206 height: 3.35mm month/day/date/12h/24h alarm/chrono/stop (T201) T201: 3 year/T206: 3.5 year (SR927W) size: 26.4 x 27.8 x 25.0mm	T240 height: 4.27mm month/day/date/12h/24h alarm/chrono/count down 2 year battery life (SR927W) size: 26.5 x 27.4 x 26.0mm	T241 height: 4.91mm month/day/date/12h/24h alarm/chrono/count down 2 year battery life (SR927W) size: 26.5 x 27.4 x 26.0mm T241-06A (Display Background: Starburst) T241-00C (Display Background: Black)	T270 height: 4.37mm month/day/date/12h/24h 30 city time/alarms/12h/24h/stop 2 year battery life (SR927W) size: 26.5 x 27.4 x 26.0mm T270-06A (Display Background: Starburst) T270-00C (Display Background: Black)





MINI CHRONO (MULTI PURPOSE CHRONO)

10 1/2mm

For Slanted Push Button	For Parallel Push Button
FS00 height: 4.73mm date chrono min at 100sec at 0V 24 hour at 2H 2 year battery life (SR920SW)	FS01 height: 4.20mm date chrono min at 100sec at 0V 24 hour at 2H 2 year battery life (SR920SW)
FS10 height: 5.70mm date chrono min at 90sec at 0V 24 hour at 12H 2 year battery life (SR920SW)	FS11 height: 5.25mm date chrono min at 90sec at 0V 24 hour at 12H 2 year battery life (SR920SW)
FS20 height: 5.70mm date chrono min at 90sec at 0V 24 hour at 3H 2 year battery life (SR920SW)	FS21 height: 5.25mm date chrono min at 90sec at 0V 24 hour at 3H 2 year battery life (SR920SW)

Spacer For Parallel Push Button Model FS*0 & FS*1 are the same movement. The only difference is each of FS*1 series has a special spacer for parallel push button attached on FS*0.



- Center second hand Chronograph
- Quick Reset (by Heart Cam reset system)
- Click feeling Push Button handling (by Heart Cam reset system)

CHRONO



3 Eyes/Date
Chrono Second



3 Eyes/Date
Chrono Second



2 Eyes/Date
Chrono Second



2 Eyes/Date
Chrono Second



3 Eyes
Chrono Second

13 1/2'''



OS10
height 4.13mm date
chrono hour/min/sec
3 year battery life (SR927W)



OS20
height 5.10mm date
chrono min/sec, 24 hour
3 year battery life (SR927W)



OS21
height 5.10mm date
chrono min/sec, 24 hour
3 year battery life (SR927W)



OS11
height 4.03mm date
chrono min/sec
3 year battery life (SR927W)



OS30
height 4.03mm
chrono hour/min/sec
3 year battery life (SR927W)

PROFESSIONAL CHRONO



3 Eyes/Date Chrono
1/20 Second



3 Eyes/Date Alarm-Chrono
1/20 Second



3 Eyes/Date Chrono
1/100 Second



13 1/2'''



OS60



OS80



OS90

RETROGRADE CHRONO

13 1/2'''



OS62
height 4.13mm date
chrono hour/min/sec + 1/20 second
FAST TURNING CHRONO HAND:
1/20 sec. measuring indicated by 6H second hand
(operative in specific models)
3 year battery life (SR927W)



OS22
height 5.10mm date
chrono min/sec, 24 hour
FAST TURNING CHRONO HAND:
1/20 sec. measuring indicated by 6H second hand
(operative in specific models)
2 year battery life (SR927W)

24H/DUAL TIME

10 1/2'''



3 Hands/Date
24H/Dual Time

6M17
height 3.30mm
24 hour hand/date time/date
3 year battery life (SR621SW)

ALARM

10 1/2'''



3 Hands

6L71
height 3.95mm
repeat alarm
2 year battery life (SR626W)



3 Hands Date

6L76
height 4.47mm
repeat alarm/date
2 year battery life (SR626W)

E/L

10'''



3 Hands

0U30
height 4.10mm
electro-luminescent display
3.5 year battery life (SR626W)
for ladies' size

13'''



3 Hands

6N30
height 3.55mm
electro-luminescent display
2 year battery life (SR621W)



3 Hands Date

6N10
height 4.30mm/date
electro-luminescent display
2 year battery life (SR621W)

13 1/2'''



3 Hands
6H Digital Display

T250
height 4.91mm
month-day-date/12 & 24H
alarm/chrono/chron
electro-luminescent display
3 year battery life (SR927W)
size: #30.8 x 27.4 x 26.0mm

DISC SECOND

6 3/4 x 8'''



2 Hands
Disc Second

2034
height 2.15mm
high torque for second disc
1.2 year battery life (SR626SW)

10 1/2'''



2 Hands
Second Disc Under Dial

213D
height 4.40mm
1.2 year battery life (SR626SW)
second disc under dial

10 YEAR BATTERY LIFE

6 3/4 x 8'''



3 Hands Date

1L60
height 4.30mm
10 year battery life (CR1616)

10 1/2'''



3 Hands Day/Date

2S60
height 3.95mm
10 year battery life (CR2012)

SOLAR

13 1/2'''



3 Hands

5L81
size: #30.8 x 26.0mm
height 5.41mm (incl. Solar-cell and dial)
5 months after full charge
including half transparent dial
(Dial to be colored or printed on your side)