




RONDA xtratech

RONDA slimtech

RONDA normtech

RONDA powertech



RONDA startech

RONDA mastertech



Contents

Quartz Essentials

RONDA xtratech Series Z	2/3
RONDA slimtech Series 1000	4/5
RONDA normtech Series 700 & 6000	6/7
RONDA powertech Series 500	8/9

Technical Summary Quartz Essentials	10/11
--	-------

Overview Chronographs & Retrogrades	12/13
--	-------

Quartz Specials	14
------------------------	----

RONDA startech Series 3500	15
RONDA startech Series 4000 & 5000	16/17
RONDA startech Series 5000	18/19
RONDA mastertech Series 7000 & 8000	20/21

Technical Summary Quartz Specials	22
--	----

Comparison Chronographs	23
--------------------------------	----

Contents

Quartz Essentials

RONDA xtratech Series Z	2/3
RONDA slimtech Series 1000	4/5
RONDA normtech Series 700 & 6000	6/7
RONDA powertech Series 500	8/9
Technical Summary Quartz Essentials	10/11

Overview Chronographs & Retrogrades	12/13
--	-------

Quartz Specials	14
RONDA startech Series 3500	15
RONDA startech Series 4000 & 5000	16/17
RONDA startech Series 5000	18/19
RONDA mastertech Series 7000 & 8000	20/21
Technical Summary Quartz Specials	22

Comparison Chronographs	23
--------------------------------	----

Quartz Essentials
■ RONDA **xtratech**

Series Z
13¼" Chronos with 2 & 3 eyes

Z50

**Maximize your
Chances**

**Play another Trump and
the Winnings are yours**





13¼'''




Cal. Z50
Chrono with 2 eyes at 3-9
4.60 mm
 SM & SP – 0 Jewels/Nickel
 Battery-life 50 months


13¼'''



Cal. Z60
Chrono with 3 eyes at 3-6-9
4.60 mm
 SM & SP – 0 Jewels/Nickel
 Battery-life 50 months



9h 30 Minute-Counter
3h Small Second
6h Date



6h 30 Minute-Counter
3h Small Second
4h Date
9h Day



- Chronograph with center stop-second
- 30 Minute-Counter
- Day Indicator
- Regular Date
- Small Second
- Add and split functions
- Pushers with perceptible click
- Battery-life 50 months
- power-saving mechanism
- Easy handling for consumers

4 1/4'''



Cal. 1042 • 2.90 mm
 Swiss Made & Swiss Parts

3 3/4 x 6'''



Cal. 1032 • 1.95 mm
 Swiss Made & Swiss Parts

6 3/4 x 8'''



Cal. 1062 • 1.90 mm
 Swiss Made & Swiss Parts



Cal. 1063 • 1.90 mm
 Swiss Made & Swiss Parts





Cal. 1064 • 1.90 mm
 Swiss Made & Swiss Parts



Cal. 1069 • 2.30 mm
 Swiss Made & Swiss Parts

- metal movements, repairable
- complete interchangeability between 1062–1064, 1002–1009 and 1012–1019
- remote sweep second
 for ladies: 1064 at 4.80 mm
 for gents: 1069 at 6.30 mm
- long battery-life: up to 6 years
- all movements with power-saving mechanism except calibers 1042 & 1032
- all Swiss Made 3 hand movements with EOL system


 $10\frac{1}{2}'''$
 $10\frac{1}{2}'''$
 $11\frac{1}{2}'''$
 $11\frac{1}{2}'''$


Cal. 1002 • 1.90 mm
Swiss Made



Cal. 1005 • 1.90 mm
Swiss Made



Cal. 1012 • 1.90 mm
Swiss Made



Cal. 1015 • 1.90 mm
Swiss Made



Cal. 1003 • 1.90 mm
Swiss Made



Cal. 1006 • 1.90 mm
Swiss Made



Cal. 1013 • 1.90 mm
Swiss Made



Cal. 1016 • 1.90 mm
Swiss Made



Cal. 1004 • 1.90 mm
Swiss Made



Cal. 1009 • 1.90 mm
Swiss Made



Cal. 1014 • 1.90 mm
Swiss Made



Cal. 1019 • 1.90 mm
Swiss Made

Quartz Essentials

■ RONDA normtech

Series 700 & 6000

Long battery-life and special functionality

5½'''




Cal. 751 • 2.50 mm
Swiss Made & Swiss Parts

6¾ x 8'''



Cal. 762 • 2.50 mm
Swiss Made

7¾'''




Cal. 772 • 2.50 mm
Swiss Made & Swiss Parts

8¾'''



Cal. 782 • 2.50 mm
Swiss Made & Swiss Parts



Cal. 753 • 2.50 mm
Swiss Made & Swiss Parts



Cal. 763 • 2.50 mm
Swiss Made



Cal. 773 • 2.50 mm
Swiss Made & Swiss Parts



Cal. 783 • 2.50 mm
Swiss Made & Swiss Parts



Cal. 756 • 3.10 mm
Swiss Made
Electronic Time Setting



Cal. 774 • 2.50 mm
Swiss Made & Swiss Parts



Cal. 784 • 2.50 mm
Swiss Made & Swiss Parts



Cal. 775 • 2.50 mm
Swiss Made & Swiss Parts




Cal. 785 • 2.50 mm
Swiss Made & Swiss Parts



Cal. 788 • 2.98 mm
Swiss Made & Swiss Parts
Moon

- metal movements, repairable
- many high hand heights available
- very long battery-life: up to 10 years, Lithium over 10 years
- all movements with power-saving mechanism
- all Swiss Made 3 hand movements with EOL system
- Big Date with direct change from 31 to 01




10½'''

10½'''

11½'''

11½'''



Cal. 702 • 2.50 mm
Swiss Made & Swiss Parts



Cal. 706.1 • 3.00 mm
Swiss Made & Swiss Parts
Day-Date



Cal. 712 • 2.50 mm
Swiss Made & Swiss Parts



Cal. 6003.D • 2.50 mm
Swiss Made



Cal. 703 • 2.50 mm
Swiss Made & Swiss Parts



Cal. 706.3 • 3.00 mm
Swiss Made & Swiss Parts
Day-Date, 12 Months



Cal. 713 • 2.50 mm
Swiss Made & Swiss Parts



Cal. 6004.D • 2.50 mm
Swiss Made



Cal. 704 • 2.50 mm
Swiss Made & Swiss Parts



Cal. 706.B • 3.70 mm
Swiss Made
Day-Date, 52 Weeks



Cal. 714 • 2.50 mm
Swiss Made & Swiss Parts



Cal. 6003.B • 3.30 mm
Swiss Made & Swiss Parts
Big Date



Cal. 705 • 2.50 mm
Swiss Made & Swiss Parts



Cal. 715 • 2.50 mm
Swiss Made & Swiss Parts



Cal. 6004.B • 3.30 mm
Swiss Made & Swiss Parts
Big Date



Cal. 708 • 2.98 mm
Swiss Made & Swiss Parts
Moon



Cal. 715 Li • 4.60 mm
Swiss Made & Swiss Parts
Lithium-battery




Cal. 6203.B • 3.30 mm
Swiss Made & Swiss Parts
Big Date, Dual

6 ³/₄ x 8'''



Cal. 762 E • 2.50 mm
 Swiss Made & Swiss Parts

8 ³/₄'''



backside



Cal. 763 E • 2.50 mm
 Swiss Made & Swiss Parts





Cal. 583 • 3.00 mm
 Swiss Made & Swiss Parts



Cal. 585 • 3.00 mm
 Swiss Made & Swiss Parts

- metal movements, repairable
- many high hand heights available
- complete interchangeability within the 10 ¹/₂''' & 11 ¹/₂''' sizes
- 10 ¹/₂''' & 11 ¹/₂''': very powerful stepping motor
- quick-change: big date, day-date, 24 hours dual
- long battery-life: up to 10 years
- all movements with power-saving mechanism




10½'''

10½'''

11½'''


11½'''



backside



Cal. 505.24 D • 3.00 mm
Swiss Made & Swiss Parts
24h dual



backside



Cal. 515.24 D • 3.00 mm
Swiss Made & Swiss Parts
24h dual



Cal. 503 • 3.00 mm
Swiss Made & Swiss Parts
Cal. 503 S fix motor pulse



Cal. 505.24 H • 3.00 mm
Swiss Made & Swiss Parts
24h dual



Cal. 513 • 3.00 mm
Swiss Made & Swiss Parts
Cal. 513 S fix motor pulse



Cal. 515.24 H • 3.00 mm
Swiss Made & Swiss Parts
24h dual



Cal. 505 • 3.00 mm
Swiss Made & Swiss Parts
Cal. 505 S fix motor pulse



Cal. 509 • 3.00 mm
Swiss Made & Swiss Parts
Big Date



Cal. 515 • 3.00 mm
Swiss Made & Swiss Parts
Cal. 515 S fix motor pulse



Cal. 519 • 3.00 mm
Swiss Made & Swiss Parts
Big Date



Cal. 507 • 3.00 mm
Swiss Made & Swiss Parts
Day-Date



Cal. 517 • 3.00 mm
Swiss Made & Swiss Parts
Day-Date

Technical Summary

RONDA **xtratech**

Caliber	Size	Ø Case fitting	Mvt. height	Stem height	Swiss Made	Swiss Parts	Standard Battery	Battery-life (theoretical)
Z50	13 ¼'''	30.00	4.60	1.75	0/N	0/N	395	50 m
Z60	13 ¼'''	30.00	4.60	1.75	0/N	0/N	395	50 m

Technical Summary

RONDA **slimtech**

Caliber	Size	Ø Case fitting	Mvt. height	Stem height	Swiss Made	Swiss Parts	Standard Battery	Battery-life (theoretical)	High Battery	Battery-life (theoretical)
1042	4 ¼'''	10.00	2.90	0.55	5/G	5/N	335	36 m		
1032	3 ¾x6'''	9.00x13.50	1.95	0.62	7/G	7/N	317	63 m		
1062	6 ¾x8'''	15.30x17.80	1.90	0.75	4/G	1/N	321	6 y		
1063	6 ¾x8'''	15.30x17.80	1.90	0.75	5/G EOL	1/N	321	25 m	364	34 m
1064	6 ¾x8'''	15.30x17.80	1.90	0.75	6/G EOL	2/N	321	25 m	364	34 m
1069	6 ¾x8'''	15.30x17.80	2.30	1.15	6/G EOL	2/N	321	25 m	364	34 m
1002	10 ½'''	23.30	1.90	0.75	5/G		341	40 m		
1003	10 ½'''	23.30	1.90	0.75	8/G EOL		341	25 m	315	40 m
1004	10 ½'''	23.30	1.90	0.75	10/G EOL		341	25 m	315	40 m
1005	10 ½'''	23.30	1.90	0.75	8/G EOL		341	25 m	315	40 m
1006	10 ½'''	23.30	1.90	0.75	8/G		341	25 m	315	40 m
1009	10 ½'''	23.30	1.90	0.75	10/G EOL		341	25 m	315	40 m
1012	11 ½'''	25.60	1.90	0.75	5/G		341	40 m		
1013	11 ½'''	25.60	1.90	0.75	8/G EOL		341	25 m	315	40 m
1014	11 ½'''	25.60	1.90	0.75	10/G EOL		341	25 m	315	40 m
1015	11 ½'''	25.60	1.90	0.75	8/G EOL		341	25 m	315	40 m
1016	11 ½'''	25.60	1.90	0.75	8/G		341	25 m	315	40 m
1019	11 ½'''	25.60	1.90	0.75	10/G EOL		341	25 m	315	40 m

Technical Summary

RONDA **normtech**

Caliber	Size	Ø Case fitting	Mvt. height	Stem height	Swiss Made	Swiss Parts	Standard Battery	Battery-life (theoretical)	High Battery	Battery-life (theoretical)
751	5 ½'''	13.00x15.15	2.50	1.00	4/G	1/N	379	7 y		
753	5 ½'''	13.00x15.15	2.50	1.00	5/G EOL	1/N	379	27 m	319	36 m
756	5 ½'''	13.00x15.15	3.10	1.00	4/G		379	60 m		
762	6 ¾x8'''	15.30x17.80	2.50	1.00	4/G		364	10 y		
763	6 ¾x8'''	15.30x17.80	2.50	1.00	5/G EOL		364	40 m		
772	7 ¾'''	17.20	2.50	1.00	5/G	1/N	364	34 m		
773	7 ¾'''	17.20	2.50	1.00	5/G EOL	1/N	364	34 m		
774	7 ¾'''	17.20	2.50	1.00	5/G	1/N	364	34 m		
775	7 ¾'''	17.20	2.50	1.00	5/G EOL	1/N	364	34 m		

Technical Summary

RONDA normtech

Caliber	Size	Ø Case fitting	Mvt. height	Stem height	Swiss Made	Swiss Parts	Standard Battery	Battery-life (theoretical)
782	8 3/4'''	19.40	2.50	1.00	5/G	1/N	362	42 m
783	8 3/4'''	19.40	2.50	1.00	5/G EOL	1/N	362	42 m
784	8 3/4'''	19.40	2.50	1.00	5/G	1/N	362	42 m
785	8 3/4'''	19.40	2.50	1.00	5/G EOL	1/N	362	42 m
788	8 3/4'''	19.40	2.98	1.48	5/G EOL	1/N	362	42 m
702	10 1/2'''	23.30	2.50	1.00	5/G	1/N	371	60 m
703	10 1/2'''	23.30	2.50	1.00	5/G EOL	1/N	371	60 m
704	10 1/2'''	23.30	2.50	1.00	5/G	1/N	371	60 m
705	10 1/2'''	23.30	2.50	1.00	5/G EOL	1/N	371	60 m
706.1	10 1/2'''	23.30	3.00	1.50	5/G EOL	1/G	371	60 m
706.3	10 1/2'''	23.30	3.00	1.50	5/G EOL	1/G	371	60 m
706.B	10 1/2'''	23.30	3.70	2.20	5/G EOL		371	44 m
708	10 1/2'''	23.30	2.98	1.48	5/G EOL	1/N	371	60 m
712	11 1/2'''	25.60	2.50	1.00	5/G	1/N	371	60 m
713	11 1/2'''	25.60	2.50	1.00	5/G EOL	1/N	371	60 m
714	11 1/2'''	25.60	2.50	1.00	5/G	1/N	371	60 m
715	11 1/2'''	25.60	2.50	1.00	5/G EOL	1/N	371	60 m
715 Li	11 1/2'''	25.60	4.60	1.00	5/G EOL	5/N	CR 2016	>10 y
6003.D	11 1/2'''	25.60	2.50	1.00	4/G EOL		373	40 m
6004.D	11 1/2'''	25.60	2.50	1.00	5/G EOL		373	40 m
6003.B	11 1/2'''	25.60	3.30	1.80	4/G EOL	1/N	373	40 m
6004.B	11 1/2'''	25.60	3.30	1.80	5/G EOL	1/N	373	40 m
6203.B	11 1/2'''	25.60	3.30	1.80	5/G EOL	1/N	373	40 m

Technical Summary

RONDA powertech

Caliber	Size	Ø Case fitting	Mvt. height	Stem height	Swiss Made	Swiss Parts	Standard Battery	Battery-life (theoretical)
762 E	6 3/4x8'''	15.30x17.80	2.50	1.00	1/N	1/N	364	10 y
763 E	6 3/4x8'''	15.30x17.80	2.50	1.00	1/N	1/N	364	40 m
583	8 3/4'''	19.40	3.00	1.50	1/N	1/N	362	38 m
585	8 3/4'''	19.40	3.00	1.50	1/N	1/N	362	38 m
503 *	10 1/2'''	23.30	3.00	1.50	1/N	1/N	371	45 m
505 *	10 1/2'''	23.30	3.00	1.50	1/N	1/N	371	45 m
507	10 1/2'''	23.30	3.00	1.50	1/N	1/N	371	45 m
505.24 H	10 1/2'''	23.30	3.00	1.50	1/N	1/N	371	45 m
505.24 D	10 1/2'''	23.30	3.00	1.50	1/N	1/N	371	45 m
509	10 1/2'''	23.30	3.00	1.50	1/N	1/N	371	45 m
513 *	11 1/2'''	25.60	3.00	1.50	1/N	1/N	371	45 m
515 *	11 1/2'''	25.60	3.00	1.50	1/N	1/N	371	45 m
517	11 1/2'''	25.60	3.00	1.50	1/N	1/N	371	45 m
515.24 H	11 1/2'''	25.60	3.00	1.50	1/N	1/N	371	45 m
515.24 D	11 1/2'''	25.60	3.00	1.50	1/N	1/N	371	45 m
519	11 1/2'''	25.60	3.00	1.50	1/N	1/N	371	45 m

* also available with fix motor pulse (503 **S**, 505 **S**, 513 **S**, 515 **S**) – battery-life 24 months

4,5,7/... = number of jewels
N = Nickel, **G** = Gilt
EOL = End of Life System

Overview Chronographs & Retrogrades

Quartz Essentials & Specials

RONDA xtratech

13 1/4" 30.00 mm
Height 4.60 mm
Chronographs



Cal. Z50
Chrono / SM & SP



Cal. Z60
Chrono / SM & SP



Cal. 5021.D
Chrono / SM & SP



Cal. 5030.D
Chrono / SM & SP



Cal. 5040.D
Chrono / SM & SP



Cal. 5040.E
Chrono / Day-Date / SM

RONDA startech 5000

12 1/2" 28.00 mm
Height 4.40 mm
Chronographs



Cal. 5050.C
Chrono / Day Big Date / SM



Cal. 5051.C
Chrono / Day Big Date / SM



Cal. 5040.F
Chrono / Day-Date Month / SM

RONDA mastertech 7000

15" 33.80 mm
Height 5.60 mm
Retrogrades



Cal. 7003.L
Day Retrograde / SM




Cal. 7003.N
Day Retrograde / SM



Cal. 7004.N
Day Retrograde / SM



Cal. 7004.P
Day Retrograde / SM



RONDA startech 3500

10 1/2 x 11 1/2" 23.90 x 25.60 mm

Height 4.90 mm

Chronographs



Cal. 3520.D
Chrono/SM&SP



Cal. 3540.D
Chrono/SM&SP



Cal. 5010.B
Chrono/SM



Cal. 5020.B
Chrono/SM&SP



Cal. 5040.B
Chrono/SM&SP



Cal. 5050.B
Chrono/SM&SP



Cal. 5130.D
Chrono-Alarm/SM&SP



Cal. 5130.B
Chrono-Alarm/SM

RONDA mastertech 8000

15" 33.80 mm

Height 5.60 mm

Chronographs



Cal. 8040.B
Chrono/SM



Cal. 8040.N
Chrono/Retrograde/SM

General Product Features

Quartz Specials

Quartz Specials

■ RONDA startech

Series 3500 – 10 1/2 x 11 1/2'''

Chronographs

- Center stop-second
- Add and split functions
- Pushers with perceptible click
- Regular Date
- One case for both versions
- all movements with power-saving mechanism
- Possible pusher angles at 0°, 10°, 15°, 20°, or 30°
- Easy handling for consumers

Series 4000 – 12 1/2'''

Multifunctions

- Big Date with direct change from 31 to 01
- Pushers with perceptible click
- One case for all versions (slight differences regarding hand heights, pushers, correctors and piezo)
- all movements with power-saving mechanism
- Possible pusher angles at 0°, 10°, 15°, 20°, or 30°
- Easy handling for consumers

Series 5000 – 12 1/2'''

Chronographs

- Center stop-second
- Add and split functions
- Pushers with perceptible click
- Regular Date
- Big Date with direct change from 31 to 01
- One case for all versions (slight differences regarding hand heights, correctors and piezo)
- all movements with power-saving mechanism
- Possible pusher angles at 0°, 10°, 15°, 20°, or 30°
- Easy handling for consumers

Quartz Specials

■ RONDA mastertech

Series 7000 – 15'''

Multifunctions

- Day Retrograde
- Big Date with direct change from 31 to 01
- One case for all versions
- all movements with power-saving mechanism
- End of life indication

Series 8000 – 15'''

Chronographs

- Center stop-second
- Add and split functions
- Pushers with perceptible click
- Day Retrograde
- Big Date with direct change from 31 to 01
- One case for all versions
- all movements with power-saving mechanism
- Possible pusher angles at 0°, 10°, 15°, 20°, or 30°
- Easy handling for consumers

Quartz Specials

■ RONDA startech

Series 3500 Chronographs




10 1/2 x 11 1/2''' – 23.90 x 25.60 mm



Cal. 3520.D Chrono, Date 4.90 mm

Battery-life 54 months
SM – 4 Jewels / Gilt
SP – 4 Jewels / Nickel




12h 30 Min./12 Hours
3h Date
6h Small Second



Cal. 3540.D Chrono, Date 4.90 mm

Battery-life 54 months
SM – 5 Jewels / Gilt
SP – 5 Jewels / Nickel



1/10 s

9h 30 Min.
12h 1/10 Sec./10 Hours
3h Date
6h Small Second

From small to big watches

The favored all-round size of 10 1/2 x 11 1/2''' suits small ladies' watches, large gents timepieces, or rectangular shaped watch cases.



Quartz Specials

■ RONDA startech

Series 4000 & 5000

Multifunctions and Chronographs

12 1/2" – 28.00 mm



Cal. 4003.B*
3 Hands, Big Date
4.40 mm
 Battery-life 60 months
 SM – 5 Jewels / Gilt / EOL *



23

12h Big Date



4003.B*




4002.B



4002.B



Cal. 4120.B
Alarm, Big Date
4.40 mm
 Battery-life 50 months
 SM – 7 Jewels / Gilt
 SP – 3 Jewels / Nickel




23

9h Alarm
 3h Small Second
 6h Big Date



Cal. 4210.B
Dual, Big Date
4.40 mm
 Battery-life 54 months
 SM – 8 Jewels / Gilt
 SP – 4 Jewels / Nickel




DUAL

23

6h 2nd Time Zone
 12h Big Date




Cal. 4220.B
Dual, Big Date
4.40 mm
 Battery-life 54 months
 SM – 7 Jewels / Gilt



DUAL

23

9h 2nd Time Zone
 3h Small Second
 6h Big Date




12 1/2" – 28.00 mm



Cal. 5021.D
Chrono, Date
4.40 mm

Battery-life 54 months
SM – 10 Jewels / Gilt
SP – 5 Jewels / Nickel




9h 30 Min.
3h Small Second
6h Date



Cal. 5030.D
Chrono, Date
4.40 mm

Battery-life 54 months
SM – 13 Jewels / Gilt
SP – 6 Jewels / Nickel




6h 12 Hours
9h 30 Min.
3h Small Second
4h Date



Cal. 5040.D
Chrono, Date
4.40 mm

Battery-life 54 months
SM – 13 Jewels / Gilt
SP – 6 Jewels / Nickel
Hand heights no 1 & 2




1/10s **HH 1&2**
6h 1/10 Sec./10 Hours
9h 30 Min.
3h Small Second
4h Date



Cal. 5040.E
Chrono, Day-Date
4.40 mm

Battery-life 54 months
SM – 13 Jewels / Gilt



1/10s
6h 1/10 Sec./10 Hours
9h 30 Min.
3h Small Second
6h Date
12h Day

Quartz Specials


■ RONDA startech

Series 5000 Chronographs

12 1/2" – 28.00 mm



Cal. 5010.B
Chrono, Big Date
4.40 mm
Battery-life 54 months
SM – 10 Jewels / Gilt




23

6h 30 Min./12 Hours
12h Big Date



Cal. 5020.B
Chrono, Big Date
4.40 mm
Battery-life 54 months
SM – 10 Jewels / Gilt
SP – 5 Jewels / Nickel




23

9h 30 Min./12 Hours
3h Small Second
6h Big Date



Cal. 5040.B
Chrono, Big Date
4.40 mm
Battery-life 54 months
SM – 13 Jewels / Gilt
SP – 6 Jewels / Nickel
Hand heights no 1 & 2




1/10 s HH 23

6h 1/10 Sec./10 Hours
9h 30 Min.
3h Small Second
12h Big Date





Cal. 5050.B
Chrono, Big Date
4.40 mm
Battery-life 54 months
SM – 13 Jewels / Gilt
SP – 6 Jewels / Nickel



1/10 s 23


6h 1/10 Sec.
9h 30 Min./12 Hours
3h Small Second
6h Big Date



12 1/2" – 28.00 mm



Cal. 5050.C
Chrono, Day, Big Date
4.40 mm
 Battery-life 54 months
 SM – 13 Jewels / Gilt




1/10 s 23

6h 1/10 Sec.
9h 30 Min./12 Hours
3h Small Second
6h Big Date
12h Day

Cal. 5051.C
same as 5050.C except:
 6h Day and 12h Big Date



Cal. 5040.F
Chrono, Day-Date, Month
4.40 mm
 Battery-life 54 months
 SM – 13 Jewels / Gilt




1/10 s

6h 1/10 Sec./10 Hours
9h 30 Min.
3h Small Second
12h Day & Month
 Date by Hand




Cal. 5130.D
Chrono-Alarm, Date
4.40 mm
 Battery-life 48 months
 SM – 13 Jewels / Gilt
 SP – 6 Jewels / Nickel



9h 30 Min./12 Hours
6h Alarm
3h Small Second
4h Date



Cal. 5130.B
Chrono-Alarm, Big Date
4.40 mm
 Battery-life 48 months
 SM – 13 Jewels / Gilt



9h 30 Min./12 Hours
6h Alarm
3h Small Second
12h Big Date

Quartz Specials

■ RONDA mastertech

Series 7000 & 8000

Retrogrades and Chronographs

15''' – 33.80 mm



Cal. 7003.B
3 Hands, Big Date
5.60 mm
 Battery-life 52 months
 SM – 5 Jewels / Gilt / EOL



23

12h Big Date



7002.B



Cal. 7004.B
Small Second, Big Date
5.60 mm
 Battery-life 48 months
 SM – 6 Jewels / Gilt / EOL



23

6h Small Second
12h Big Date



Cal. 7003.L
Day Retrograde, Big Date
5.60 mm
 Battery-life 52 months
 SM – 5 Jewels / Gilt / EOL




23

6h Day Retrograde
12h Big Date




Cal. 7003.N
Day Retrograde, Big Date
5.60 mm
 Battery-life 52 months
 SM – 5 Jewels / Gilt / EOL



23


6h Big Date
12h Day Retrograde



15''' – 33.80 mm



Cal. 7004.N
Day Retrograde,
Big Date, Small Second
5.60 mm
 Battery-life 48 months
 SM – 6 Jewels / Gilt / EOL




23

6h Big Date
6h Small Second
12h Day Retrograde



Cal. 7004.P
Day Retrograde,
Big Date, Small Second
5.60 mm
 Battery-life 48 months
 SM – 6 Jewels / Gilt / EOL




23

1h Big Date
6h Small Second
10h Day Retrograde



Cal. 8040.B
Chrono, Big Date
5.60 mm
 Battery-life 48 months
 SM – 13 Jewels / Gilt




1/10 s 23

3h 1/10 Sec./10 Hours
9h 30 Min.
6h Small Second
12h Big Date



Cal. 8040.N
Chrono, Day Retrograde,
Big Date
5.60 mm
 Battery-life 48 months
 SM – 13 Jewels / Gilt



1/10 s 23

3h 1/10 Sec./10 Hours
9h 30 Min.
6h Small Second
6h Big Date
12h Day Retrograde

Technical Summary

RONDA **startech**

Caliber	Size	Ø Case fitting	Mvt. height	Stem height	Swiss Made	Swiss Parts	Battery	Battery-life (theoretical)
3520.D	10 ½ x 11 ½'''	23.90 x 25.60	4.90	1.70	4/G	4/N	384	54 m
3540.D	10 ½ x 11 ½'''	23.90 x 25.60	4.90	1.70	5/G	5/N	384	54 m
4002.B	12 ½'''	28.00	4.40	1.90	5/G		395	60 m
4003.B	12 ½'''	28.00	4.40	1.90	5/G EOL		395	60 m
4120.B	12 ½'''	28.00	4.40	1.90	7/G	3/N	395	50 m
4210.B	12 ½'''	28.00	4.40	1.90	8/G	4/N	395	54 m
4220.B	12 ½'''	28.00	4.40	1.90	7/G		395	54 m
5021.D	12 ½'''	28.00	4.40	1.90	10/G	5/N	395	54 m
5030.D	12 ½'''	28.00	4.40	1.90	13/G	6/N	395	54 m
5040.D	12 ½'''	28.00	4.40	1.90	13/G	6/N	395	54 m
5040.E	12 ½'''	28.00	4.40	1.90	13/G		395	54 m
5010.B	12 ½'''	28.00	4.40	1.90	10/G		395	54 m
5020.B	12 ½'''	28.00	4.40	1.90	10/G	5/N	395	54 m
5040.B	12 ½'''	28.00	4.40	1.90	13/G	6/N	395	54 m
5050.B	12 ½'''	28.00	4.40	1.90	13/G	6/N	395	54 m
5050.C	12 ½'''	28.00	4.40	1.90	13/G		395	54 m
5051.C	12 ½'''	28.00	4.40	1.90	13/G		395	54 m
5040.F	12 ½'''	28.00	4.40	1.90	13/G		395	54 m
5130.D	12 ½'''	28.00	4.40	1.90	13/G	6/N	395	48 m
5130.B	12 ½'''	28.00	4.40	1.90	13/G		395	48 m

Technical Summary

RONDA **mastertech**

Caliber	Size	Ø Case fitting	Mvt. height	Stem height	Swiss Made	Swiss Parts	Battery	Battery-life (theoretical)
7002.B	15'''	33.80	5.60	3.30	5/G EOL		381	52 m
7003.B	15'''	33.80	5.60	3.30	5/G EOL		381	52 m
7004.B	15'''	33.80	5.60	3.30	6/G EOL		381	48 m
7003.L	15'''	33.80	5.60	3.30	5/G EOL		381	52 m
7003.N	15'''	33.80	5.60	3.30	5/G EOL		381	52 m
7004.N	15'''	33.80	5.60	3.30	6/G EOL		381	48 m
7004.P	15'''	33.80	5.60	3.30	6/G EOL		381	48 m
8040.B	15'''	33.80	5.60	3.30	13/G		395	48 m
8040.N	15'''	33.80	5.60	3.30	13/G		395	48 m

4,5,7/... = number of jewels
N = Nickel, **G** = Gilt
EOL = End of Life System

Chronographs


Comparison of sizes & counter positions

■ RONDA startech – 3500 Series 10 1/2 x 11 1/2'''

Counter 6 & 12h: 7.50 mm distance from center

Counter 9h: 7.00 mm distance from center


Sample eye diameter Ø 9 and 10 mm



■ RONDA startech – 5000 Series 12 1/2'''

All counters 6.85 mm distance from center



Sample eye diameter Ø 10 mm



■ RONDA xtratech – Z Series 13 1/4'''

All counters 8.30 mm distance from center


Sample eye diameter Ø 11 mm



■ RONDA mastertech – 8000 Series 15'''

All counters 8.30 mm distance from center

Sample eye diameter Ø 12 mm





RONDA AG

Hauptstrasse 10
CH-4415 Lausen
Switzerland
Phone +41 61 926 50 00
Fax +41 61 926 50 50
info@ronda.ch
ronda.ch

RONDA TIME CENTER SA

Via ai Boschi 6
CH-6855 Stabio
Switzerland
Phone +41 91 640 99 00
Fax +41 91 640 99 05
info@ronda-time-center.ch
ronda-time-center.ch

RONDA Ltd.

Unit 19, 27/F, Tower B
Southmark, 11 Yip Hing Street
Wong Chuk Hang, Aberdeen, Hong Kong
Phone +852 2542 0249
Fax +852 2854 2124
info@ronda.com.hk

RONDA (Thailand) Co., Ltd.

925 Moo 15, Teparak Road
Bangsaothong Sub-District
Samutprakan 10540 Thailand
Phone +662 706 0500
Fax +662 706 0509
info@ronda.co.th